



THE ART OF THE INSPECTION part 2

INSPECTIONS

March 31, 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

Thank you to all our 2022 SPONSORS and EXHIBITORS!



DTSC
Department of Toxic
Substances Control



CleanEarth™



Cal OES
GOVERNOR'S OFFICE
OF EMERGENCY SERVICES



TRINCHERO

Family Estates



THE ART OF THE INSPECTION Part 1

**CONDUCTED AT THE 23rd California Unified
Program Annual Training Conference
In 2021**

**Covered Strategic Planning of Inspection Areas;
Annual verses Triennial Inspection Intervals; Office
Preparation; Tools to take on the Inspection,
Information to Hand Out & More**



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

LEATHERMAN TOOL GIVAWAY

**COOSE A NUMBER *BETWEEN 0 and 3000.*
*Submit your name, e-mail address and number
to the blue e-mail listed below to enter.***

***The closest number will be declared the winner. The
winner will be contacted and the Leatherman will be
mailed to the winner. ... Good Luck!***


E-mail your entry number to

David.Wadsworth@ventura.org



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

E-mail your entry number to
David.Wadsworth@ventura.org



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

TOGETHER TOWARDS TOMORROW

**CHANGING THE WORLD, ONE
INSPECTION AT A TIME.**

TU 2014 COMMENCEMENT SPEECH



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

EMERGENCY PROCEDURES

Post near telephones and as appropriate

In case of a fire, spill, or other emergency involving hazardous chemicals or wastes, do the following:

Major Emergency

- ⇒ Evacuate the affected areas per the facility Evacuation Plan
- ⇒ **Call 911** and report the emergency
- ⇒ Report the emergency to the facility Emergency Coordinator

Minor Emergency

- ⇒ Try to control the emergency if you are trained to do so and can do it safely
- ⇒ Report the emergency to the facility Emergency Coordinator

Facility Emergency Coordinators

	Name	Work Phone	24 Hour Phone
Primary EC:	_____	_____	_____
1st Alternate EC:	_____	_____	_____
2nd Alternate EC:	_____	_____	_____
3rd Alternate EC:	_____	_____	_____

Emergency Agencies

Agency	Phone No.
Fire Dept., Ambulance, Police	911
Governor's Office of Emergency Services	(800) 852-7550
Ventura County Hazardous Materials Compliance Division	(805) 654-3513

Emergency Equipment

Locations of fire extinguishers, fire alarms (if any), and equipment for controlling chemical spills are shown on the facility site plan posted with this notice.

This document is only a summary of emergency procedures. Refer to this facility's written emergency response plan for detailed procedures.

PROCEDIMIENTOS DE EMERGENCIA

Coloque este anuncio cerca de los teléfonos y donde sea apropiado

En caso de un incendio, derramamiento, u otra emergencia que incluya productos químicos o desperdicios peligrosos, haga lo siguiente:

Emergencia Mayor

- ⇒ Evacue las áreas afectadas de acuerdo al plan de evacuación del negocio
- ⇒ **Marque 9-1-1** y reporte la emergencia
- ⇒ Reporte la emergencia al Coordinador de Emergencia del negocio

Emergencia Menor

- ⇒ Intente controlar la emergencia, si están capacitados para hacerlo y pueden hacerlo sin peligro
- ⇒ Reporte la emergencia al Coordinador de Emergencia del negocio

Coordinadores de Emergencia (CE) del Negocio

	Nombre	Teléfono del Trabajo	Teléfono de 24 Horas
Principal CE:	_____	_____	_____
1° Alterno CE:	_____	_____	_____
2° Alterno CE:	_____	_____	_____
3° Alterno CE:	_____	_____	_____

Agencias de Emergencia

Agencia	Teléfono
Departamento de Bomberos, Ambulancia y Policía	911
Oficina del Gobernador de los Servicios de Emergencia	(800) 852-7550
La División de Conformidad de Materiales Peligrosos (HMCD) del Condado de Ventura	(805) 654-2813

Equipo de Emergencia

Las localizaciones de extintores, alarma de incendio (si hay alguna), y absorbente para derramamientos químicos deben ser incluidos en el plan del negocio colgado con este aviso.

Este documento es solamente un resumen de los procedimientos de emergencia. Refiera al plan escrito del negocio para procedimientos más detallados.



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

EMERGENCY PROCEDURES

Post near telephones and as appropriate

In case of a fire, spill, or other emergency involving hazardous chemicals or wastes, do the following:

Major Emergency

- ⇒ Evacuate the affected areas per the facility Evacuation Plan
- ⇒ Call 911 and report the emergency
- ⇒ Report the emergency to the facility Emergency Coordinator

Minor Emergency

- ⇒ Try to control the emergency if you are trained to do so and can do it safely
- ⇒ Report the emergency to the facility Emergency Coordinator

Facility Emergency Coordinators

	Name	Work Phone	24 Hour Phone
Primary EC:	_____	_____	_____
1st Alternate EC:	_____	_____	_____
2nd Alternate EC:	_____	_____	_____
3rd Alternate EC:	_____	_____	_____

Emergency Agencies

Agency	Phone No.
Fire Dept., Ambulance, Police	911
Governor's Office of Emergency Services	(800) 852-7550
Ventura County Hazardous Materials Compliance Division	(805) 654-3513

Emergency Equipment

Locations of fire extinguishers, fire alarms (if any), and equipment for controlling chemical spills are shown on the facility site plan posted with this notice.

This document is only a summary of emergency procedures. Refer to this facility's written emergency response plan for detailed procedures.

EMERGENCY PROCEDURES

Post near telephones and as appropriate

In case of a fire, spill, or other emergency involving hazardous chemicals or wastes, do the following:

Major Emergency

- ⇒ Evacuate the affected areas per the facility Evacuation Plan
- ⇒ Call 911 and report the emergency
- ⇒ Report the emergency to the facility Emergency Coordinator

Minor Emergency

- ⇒ Try to control the emergency if you are trained to do so and can do it safely
- ⇒ Report the emergency to the facility Emergency Coordinator

Facility Emergency Coordinators

	Name	Work Phone	24 Hour Phone
Primary EC:	_____	_____	_____
1st Alternate EC:	_____	_____	_____
2nd Alternate EC:	_____	_____	_____
3rd Alternate EC:	_____	_____	_____

Emergency Agencies

Agency	Phone No.
Fire Dept., Ambulance, Police	911
Governor's Office of Emergency Services	(800) 852-7550
Ventura County Hazardous Materials Compliance Division	(805) 654-3513

Emergency Equipment

Locations of fire extinguishers, fire alarms (if any), and equipment for controlling chemical spills are shown on the facility site plan posted with this notice.

This document is only a summary of emergency procedures. Refer to this facility's written emergency response plan for detailed procedures.

24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

JOB ANNOUNCEMENTS

Job announcement document with text and a logo at the top left.

Job announcement document with text and a logo at the top right.

Job announcement document, partially rolled up and pinned to the board.

Buying a home? Refinancing your mortgage? Renting an apartment?
Learn about the valuable housing benefits available to you, since your employer is a member of Coastal Housing Partnership.

Is your financial picture everything it could be?
Get your personal money checkup today.
Uncover your financial strengths, opportunities, and the tips and tools to help you get to where you want to be.
Fidelity.com/GetMyMoneyCheckup

EMERGENCY PROCEDURES
In case of a fire, earthquake, or other emergency requiring immediate evacuation of the building...

COUNTY OF VENTURA
PLEASE PRACTICE SOCIAL DISTANCING TO PROTECT YOURSELF AND OTHERS.
6 FEET
COMANDO DE VENTURA
POR FAVOR, MANTENGA LA DISTANCIA SOCIAL PARA PROTECCION DE UD. Y LOS DEMAS.
6 PIES (2 METROS)

BREAK ROOM PROTOCOL FOR THE CONTROL OF COVID-19
SOCIAL DISTANCING PROTOCOL SHOULD BE MAINTAINED AT ALL TIMES
• Employees should physically distance themselves when taking breaks together - minimum 6 feet
• Breaks should be staggered
• Do not congregate in break or common areas
• Surfaces should be cleaned and disinfected after use.

A Strong Defense Against Flu: Get Vaccinated!
Uncover your financial strengths, opportunities, and the tips and tools to help you get to where you want to be.

Do You Want Your Kids to Listen Without Yelling, Nagging or Using Control?
Parents and caregivers can use the strategies in this program to help their children listen better, cooperate, and manage their emotions.

Document with a photo of a man and text, possibly a testimonial or profile.

Document with a table and text, possibly a schedule or checklist.

Document with a table and text, possibly a schedule or checklist.

EMERGENCY PROCEDURES
In case of a fire, earthquake, or other emergency requiring immediate evacuation of the building...

COUNTY OF VENTURA
April 21, 2022

Working and Breastfeeding it Can Work!
For information about the Equality of Treatment and Opportunity Program, or to request a Service Program, call 800-455-4646.

Vertical banner on the right side with text: **LOOK**, **RM**, **St**, **Head**, **LIFT UP VENT**, **REST**, **FOR O**, **LIFT UP VENT**, **YOUR RIGHTS IN THE**, **THE WEINGART**

24th California Unified Program Annual Training Conference March 22, 23, 24, 29, 30, 31 - 2022

MARKING REQUIREMENTS AND GUIDELINES FOR HAZARDOUS MATERIALS AND HAZARDOUS WASTES

For Use by Unincorporated Member Agencies or where approved by your Local Jurisdiction

Authority Cited: California Fire Code; California Health and Safety Code (HSC); Title 22 California Code of Regulations (CCR) Hazardous Materials Storage Ordinance (HMSO)¹; Toxic Gas Ordinance (TGO)¹

I. General Information:

Hazardous materials and hazardous waste containers and storage areas shall be marked in order to identify their contents and the hazard(s) posed by them. This document is intended to supplement OSHA and DOT requirements for maintaining identification and hazard labels on containers and requirements of the National Fire Protection Association (NFPA) 704 "Standard System for the Identification of the Hazards of Materials for Emergency Response," as adopted by the California Fire Code. NFPA 704 is available for free online viewing at: www.nfpa.org/aboutthecodes/AboutTheCodes.asp?DocNum=704.

The NFPA 704 system is the predominant emergency response marking standard and may be required for buildings and areas containing regulated amounts of hazardous materials.

This document is divided into two main parts: Section III lists requirements which must be followed, and cites the specific code sections supporting them; Section IV is a collection of Guidelines which, when followed, will assist emergency response personnel in the event of an emergency at your facility. You are strongly encouraged to implement the Guidelines, although they are not required by code. Please note that the Guidelines may not be applicable in all circumstances. If assistance is needed in applying them, contact your local agency.

II. Definitions:

The following definitions apply with regard to requirements specified in this document:

Chemical Name -	The technical chemical identity of a material except where a common term (e.g., gasoline) is a generally recognized name.
Hazard Class -	As defined by the United States Department of Transportation (DOT). [See Title 49 Code of Federal Regulations, Part 173.2.]
Hazardous Material -	Any non-waste material regulated by federal, state, or local jurisdictions as hazardous.
Hazardous Waste -	Any waste material regulated by the State of California as hazardous waste.

III. Requirements:

A. General:

1. Markings shall be made of durable materials and shall be replaced as needed due to normal aging and fading. [CFC §2703.6]
2. Markings shall be in English. Markings in other languages should be provided where appropriate. [CFC §2703.6]

Universal Wastes:

Universal Wastes (UW) are wastes regulated pursuant to Chapter 23 of Division 4.5, Title 22 CCR or HSC §25201.16. UW must be marked as follows:

- a. **Aerosol Cans** – Each container holding UW aerosol cans shall be clearly marked with any one of the following phrases: “Universal Waste – Aerosol Cans,” “Waste Aerosol Cans,” or “Used Aerosol Cans.” [HSC §25201.16(f)(6)]
- b. **Batteries** – Each battery, or each container in which UW batteries are held, shall be marked with any one of the following phrases: “Universal Waste – Battery(ies),” or “Waste Battery(ies),” or “Used Battery(ies).” [22 CCR §66273.14(a) or 66273.34(a)]
- c. **Dental Amalgam** – Each container holding UW dental amalgam shall be marked with any one of the following phrases: “Universal Waste – Dental Amalgam,” “Waste Dental Amalgam,” or “Scrap Dental Amalgam.” [22 CCR §66273.14(f) or 66273.34(f)]
- d. **Electronic Devices** – Each electronic device, or each container or pallet in or on which UW electronic devices are held, shall be marked with any one of the following phrases: “Universal Waste – Electronic Device(s)” or “UW – Electronic Device(s).” [22 CCR §66273.14(d) or 66273.34(d)]
UW electronic devices may instead be accumulated within a designated area demarcated by boundaries that are clearly marked with any one of the following phrases: “Universal Waste – Electronic Device(s)” or “UW – Electronic Device(s).” [22 CCR §66273.14(d)(1) or 66273.34(d)(1)]
- e. **Lamps** – Each lamp, or each container or package in which UW lamps are held, shall be marked with any one of the following phrases: “Universal Waste – Lamp(s),” or “Waste Lamp(s),” or “Used Lamp(s).” [22 CCR §66273.14(e) or 66273.34(e)]
- f. **Other Universal Wastes** – The following Universal Wastes, or containers holding such Universal Wastes, shall be marked as indicated:
 - o **Counterweights and Dampers** or products containing such items shall be marked per 22 CCR §66273.14(i) or 66273.34(i), as appropriate.
 - o **Dilators and Weighted Tubing** shall be marked per 22 CCR §66273.14(j) or 66273.34(j), as appropriate.
 - o **Gas Flow Regulators** shall be marked per 22 CCR §66273.14(l) or 66273.34(l), as appropriate.
 - o **Mercury Switches and Thermometers** shall be marked per 22 CCR §66273.14(e) or 66273.34(e), as appropriate.
 - o **Novelties Containing Mercury** shall be marked per 22 CCR §66273.14(h) or 66273.34(h), as appropriate.



TYPICAL FIRE SAFETY INSPECTION VIOLATIONS

The following is a list of typical violations often found by inspectors and a generic solution. You can use this list to improve the safety of your facility, to prepare for an upcoming inspection, or to develop your own self-inspection program. Note that specific code requirements may vary somewhat from jurisdiction to jurisdiction, so if you have questions or would like to know the specific code sections, please contact your local agency. (The reference number is used to make it easier to identify specific items; it does not refer to a code or ordinance.)

I. TYPICAL EXTINGUISHER VIOLATIONS

No.	General Type	Description
150	Extinguishers	<ul style="list-style-type: none"> Insufficient number of fire extinguishers. © Provide xx number of fire extinguishers.
151	Extinguisher Servicing	<ul style="list-style-type: none"> Fire Extinguisher not serviced within last 12 months. © Provide annual servicing for all fire extinguishers.
152	Welding Cart	<ul style="list-style-type: none"> Welding cart does not have a fire extinguisher. © Provide extinguisher for welding and cutting on or near the oxygen acetylene rack.
153	Fixed Fire System Service	<ul style="list-style-type: none"> Failure to service system. © Service fixed system every 6 months or after activation
154	Portable Fire System Service	<ul style="list-style-type: none"> Failure to service extinguisher(s). © Service fire extinguisher annually or after use.

TYPICAL HAZARDOUS MATERIALS INSPECTION VIOLATIONS

The following is a list of typical violations often found by inspectors and a generic solution. You can use this list to improve the safety of your facility, to prepare for an upcoming inspection, or to develop your own self-inspection program. Note that specific code requirements may vary somewhat from jurisdiction to jurisdiction, so if you have questions or would like to know the specific code sections, please contact your local agency. (The reference number is used to make it easier to identify specific items; it does not refer to a code or ordinance.)

I. TYPICAL PERMIT VIOLATIONS

No.	General Type	Description
1	Storage Permit	<ul style="list-style-type: none"> Failure to obtain and keep current a Hazardous Materials Storage Permit. © Obtain a Hazardous Materials Storage Permit. A Hazardous Materials Business Plan or Registration form must be submitted as an application.
2	Installation/Repair Permit	<ul style="list-style-type: none"> Failure to obtain a permit or approval for installation of or repair to a storage system or facility. © Submit plans and obtain a permit. © Discontinue use of storage system or facility until permits are obtained.
3	Closure Notice	<ul style="list-style-type: none"> Failure to submit a closure notice for closure of a storage system or part of a storage facility © Submit a one page Closure Notice describing the closure and verifying that all hazardous materials have been properly disposed.
4	Closure Permit	<ul style="list-style-type: none"> Failure to obtain approval for the closure of a storage facility. © The permit holder or applicant shall submit a plan to the Fire Department to terminate storage, dispensing, handling or use of hazardous materials at least 30 days prior to facility closure.
5	Upgrade	<ul style="list-style-type: none"> Existing storage system is not in compliance with the hazardous materials storage. Ex: Secondary containment is not adequately sized. © Submit proposal to up-grade the storage system to comply hazardous materials storage requirements.

24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



DTSC Fact Sheets

Fact Sheet
October 2015

Aerosol Can Waste Management



HAZARDOUS WASTE MANAGEMENT



Fact Sheet, December 2006

Managing Asbestos Waste



Fact Sheet, August 2007

Used Oil and Oil Filter Management



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



California's Universal Waste Rule allows individuals and businesses to transport, handle and recycle certain common hazardous wastes, termed universal wastes, in a manner that differs from the requirements for most hazardous wastes. The more relaxed requirements for managing universal wastes were adopted to ensure that they are managed safely and are not disposed of in the trash.

What are Universal Wastes?

Universal wastes are hazardous wastes that are widely produced by households and many different types of businesses. Universal wastes include televisions, computers and other electronic devices as well as batteries, fluorescent lamps, mercury thermostats, and other mercury containing equipment, among others.

The hazardous waste regulations (Cal. Code Regs, title 22, division 4.5, chapter 11 section 66261.9) identify seven categories of hazardous wastes that can be managed as universal wastes. Any unwanted item that falls within one of these waste streams can be handled, transported and recycled following the simple requirements set forth in the universal waste regulations (UWR) (Cal. Code Regs, title 22, division 4.5, chapter 23).

Universal wastes are:

1. **Electronic devices:** Includes any electronic device that is a hazardous waste (with or without a Cathode Ray Tube (CRT)), including televisions, computer monitors, cellphones, VCRs, computer CPUs and portable DVD players.
2. **Batteries:** Most household-type batteries, including rechargeable nickel-cadmium batteries, silver button batteries, mercury batteries, alkaline batteries and other batteries that exhibit a characteristic of a hazardous waste.
3. **Electric lamps:** Fluorescent tubes and bulbs, high intensity discharge lamps, sodium vapor lamps and electric lamps that contain added mercury, as well as any other lamp that exhibits a characteristic of a hazardous waste. (e.g., lead).
4. **Mercury-containing equipment:** Thermostats, mercury switches, mercury thermometers, pressure or vacuum gauges, dilators and weighted tubing, mercury rubber flooring, mercury gas flow regulators, dental amalgams, counterweights, dampers and mercury-added novelties such as jewelry, ornaments and footwear.





Archive Document Request Form

According to best management practices, public web sites should provide access to frequently accessed information and are not meant to serve as a historical library of documentation. Following those best management practices, infrequently viewed and outdated documents have been removed from DTSC's website. If you would like to receive this document, please select the version desired. For accessible versions, please note that, despite DTSC's best efforts some applications and/or technical documents cannot be fully remediated and/or may contain errors when remediated.

Name *

First

Last

Requestor's Email *

Email

Confirm Email

Please enter an email address so that we can contact you in regards to this request.


Document Accessibility *

- Yes, please send a non-accessible version
- Yes, please send an accessible version (for those with visual or cognitive impairments)
- No, do not send the document



For the
Leatherman
0 – 3000

[david.wadsworth@
ventura.org](mailto:david.wadsworth@ventura.org)



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

USE OF FIELD CARRIED TOOLS



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

PRE-INSPECTION (A Non-Paperless Inspection) PAPERWORK

Site Address

Pushing Chain Uphill
1 Up St
Ojai, CA 93023

Identification

Dog
Operator Phone Business Phone Business Fax
(888) 888-2222 (888) 888-2222 (888) 888-2222

Beginning Date Ending Date

Dun & Bradstreet SIC Code Primary NAICS

Facility/Site Mailing Address

1 Up St
Ojai, CA 93023

Primary Emergency Contact

Dog 1
Title
Leader
Business Phone 24-Hour Phone Pager Number
(888) 888-2222 (888) 888-2221 888-888-2221

Owner

The Dogs
Phone
(888) 888-2222
Mailing Address
1 Up St
Ojai, CA 93023

Secondary Emergency Contact

Dog 2
Title
Follower
Business Phone 24-Hour Phone Pager Number
(888) 888-2222 (888) 888-2223 888-888-2223

Billing Contact


Dog 1 or Dog 2
Phone
(888) 888-2222
lifaleg@thetree.net

Environmental Contact

Dog 2
(888) 888-2222

Site Identification

Facility Name	CERS ID
Pushing Chain Uphill	10143935
Business Site Address	EPA ID Number
1 Up St	CAC000000001
Ojai, CA 93023	
County: Ventura	



Hazardous Materials

Does your facility have on site (for any purpose) at any one time, hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or is regulated under more restrictive local inventory reporting requirements (shown below if present); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70? [?](#)

Yes

Underground Storage Tank(s) (UST)

Does your facility own or operate underground storage tanks? [?](#)

Yes

Hazardous Waste

Does your Facility...

Does your facility generate Hazardous Waste? [?](#)

Yes

If yes, provide an EPA Identification Number (EPA ID).

Does your facility treat hazardous waste on-site? [?](#)

Yes

Is your facility's treatment subject to financial assurance requirements (for Permit by Rule or Conditional Authorization)? [?](#)

Yes

Does your facility consolidate hazardous waste generated at a remote site? [?](#)





No

If yes, provide an EPA Identification Number (EPA ID).

Hazardous Materials Inventory (5)

Submitted Oct. 7, 2021

Only show materials with errors/warnings

	Common Name	CAS	Location	Max Daily Amount
View	Air 	132259-10-0	aaa	123 cubic feet
View	Diesel Fuel No. 2 	68476-34-6	Outside NE Corner of Building at Loading Dock	275 gallons
View	Liquefied Petroleum Gas (lpg) 	74-98-6		11 cubic feet
View	Retail Hazardous Waste 		Warehouse	20 pounds
View	Waste Water/Gasoline 		Outdoor Storage by Trash Enclosure	50 gallons

[HMIS Matrix Report](#)

[Export To Excel](#)




10 items per page

1 - 5 of 5 items



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



USE OF SITE MAP SYMBOLS - the use of symbols is not required. If symbols are used, include a symbol key with the site map. Below are samples of some common map symbols.

1. **North Arrow:** Use this symbol to indicate the direction to the north.
2. **Entrances/Exits:** Use this symbol for all entrances and exits of buildings and structures.
3. **Fences:** Use this symbol for fences (e.g., chain link, wood), block walls, or any other barriers that act as a fence.
4. **Sewer Drain:** Use this symbol to show sanitary sewer drain connections (e.g., floor drains, sumps, clarifiers), except for toilets and sinks.
5. **Storm Drain or Culvert:** Use this symbol to indicate the location of all storm drain inlets, catch basins, culverts, and drainage ditches.



Site Map Instructions continued

6. **Fire Hydrants:** Use this symbol to identify all fire hydrants in the vicinity of your facility.
7. **Fire Suppression Sprinkler System:** Use this symbol to identify fire suppression sprinkler system connections. Do not include landscape sprinkler connections.



And 2 copies of the Emergency Response / Contingency Plan

CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS)													
CONSOLIDATED EMERGENCY RESPONSE / CONTINGENCY PLAN													
<i>Prior to completing this Plan, please refer to the INSTRUCTIONS FOR COMPLETING A CONSOLIDATED CONTINGENCY PLAN</i>													
A. FACILITY IDENTIFICATION AND OPERATIONS OVERVIEW													
FACILITY ID #									A1.	CERS ID #	A2.	DATE OF PLAN PREPARATION/REVISION (MM/DD/YYYY)	A3.
BUSINESS NAME (Same as Facility Name or DBA - Doing Business As)												A4.	
BUSINESS SITE ADDRESS												A5.	
BUSINESS SITE CITY								A6.	CA	ZIP CODE		A7.	
TYPE OF BUSINESS (e.g., Painting Contractor)								A8.	INCIDENTAL OPERATIONS (e.g., Fleet Maintenance)			A9.	
THIS PLAN COVERS CHEMICAL SPILLS, FIRES, AND EARTHQUAKES INVOLVING (Check all that apply):												A10.	
<input type="checkbox"/> 1. HAZARDOUS MATERIALS; <input type="checkbox"/> 2. HAZARDOUS WASTES													
B. INTERNAL RESPONSE													
INTERNAL FACILITY EMERGENCY RESPONSE WILL OCCUR BY (Check all that apply):												B1.	
<input type="checkbox"/> 1. CALLING PUBLIC EMERGENCY RESPONDERS (e.g., 9-1-1) <input type="checkbox"/> 2. CALLING HAZARDOUS WASTE CONTRACTOR <input type="checkbox"/> 3. ACTIVATING IN-HOUSE EMERGENCY RESPONSE TEAM													
C. EMERGENCY COMMUNICATIONS, PHONE NUMBERS AND NOTIFICATIONS													
In the event of an emergency involving hazardous materials and/or hazardous waste, all facilities must IMMEDIATELY: <ol style="list-style-type: none"> 1. Notify facility personnel and evacuate if necessary in accordance with the Emergency Action Plan (Title 8 California Code of Regulations §3220); 2. Notify local emergency responders by calling 9-1-1; 3. Notify the local Unified Program Agency (UPA) at the phone number below; and 4. Notify the State Warning Center at (800) 852-7550. 													



INSPECTION GREETINGS DEMONSTRATION



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

RETAIL SALES WALK THROUGH INSPECTION

2 VIDEOS



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

§ 66265.35. Required Aisle Space

The owner or operator shall maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless it can be demonstrated to the Department that aisle space is not needed for any of these purposes.



Discussion
RETAIL SALES
FIRE SPRINKLER VALVES

SPORTING GOODS / RETAIL SALES / HARDWARE STORE



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022




24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022

E-mail your entry number to
David.Wadsworth@ventura.org




24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022


Landscape Co. Maintenance Yard Inspection




24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
 Annual Training Conference
 March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
 Annual Training Conference
 March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
 Annual Training Conference
 March 22, 23, 24, 29, 30, 31 - 2022

Landscape Co. Maintenance Yard Inspection

3 Videos



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

**Rock & Gravel Quarry
Inspection
900 + acres**



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

INSPECTION AT A ROCK & GRAVEL QUARRY




#1 - Outdoor Production

#4 - Loading/ Unloading

#2 - Material Storage


#5 - Equipment Storage

#3 - Hazardous Materials



#1 - Outdoor Production
#2 - Material Storage
#3 - Hazardous Materials


#4 - Loading/ Unloading
#5 - Equipment Storage



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022




24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



 Feedback

100 feet

25 m



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



Feedback

100 feet

25 m

Note Transformers *In Storage Yard*



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



Transformers in
Storage Yard

Note Gray
Sea Train Container

24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



Individual for Scale Transformers full Of Oil

24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



Feedback

100 feet 25 m



Gray Sea Train Container for “Storage”

**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022




24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

End of the Quarry Inspection Start of the Road Maintenance Yard Inspection




24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

Road Maintenance Facility



Path of Inspection




ROAD MAINTENANCE FACILITY

5 Videos




24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



LAST CHANCE TO ENTER

For the
Leatherman
0 – 3000

[david.wadsworth@
ventura.org](mailto:david.wadsworth@ventura.org)




24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022


Auto Dealership / Restaurant and Automotive Repair



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
 Annual Training Conference
 March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

Inspection Auto Dealership

3 Videos



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

NURSERY INSPECTION

What Have We Found?



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



Ave

Ave

Ave

Ave

Ave

Rd





24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022**



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022





24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

END OF NURSERY INSPECTION



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

What happened here?



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

Liquid On Top Of Drums



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022

Capillary Action of Oils





24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



Emergency Equipment Signage


24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022



**24th California Unified Program
Annual Training Conference**
March 22, 23, 24, 29, 30, 31 - 2022

DAVID WADSWORTH
VENTURA COUNTY ENVIRONMENTAL HEALTH DIVISION
(805) 340-8956
David.wadsworth@ventura.org

Ventura County, A Great Place to Live & Work!

Rick Bandelin, CUPA Manager
Ventura County Environmental Health Division
(805) 654-2815
Rick.bandelin@ventura.org



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



Any Questions?



THE ART OF THE INSPECTION

Part 1

**CONDUCTED AT THE 23rd
California Unified Program
Annual Training Conference In 2021**



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022



24th California Unified Program
Annual Training Conference
March 22, 23, 24, 29, 30, 31 - 2022