

# Where Tank Owners Go Wrong Using SP031





## Tim O'Toole

- Executive Vice President of STI/SPFA
- B.S. Computer Science Elmhurst University
- MBA Webster University
- Past President of Elmhurst University Alumni Association
- Avid White Sox fan



847-438-8265totoole@steeltank.com



# **About STI/SPFA**

## Mission

Promote and unite the steel plate fabricated products industry through **standards** development, **education**, and **communication**.



### SP031 Standard for Repair of Shop-Fabricated Abovegroun Storage Tanks

Covers repair and modification of shop-fabricated steel tanks storing stable, flammable and combustible liquids with a specific gravity not greater than 1.0, operating at atmospheric pressure and temperatures between ambient temperature and 200°F.

OFF ROAD FLAMESHIELD



### SP031 Standard for Repair of Shop-Fabricated Aboveground Tanks

- First edition released in 2003
- Reviewed every five years
- 6<sup>th</sup> edition released in 2024



25<sup>th</sup> California Unified Program Annual Training Conference March 20-23, 2023

e Login Q

**Become A Member** 



Library & Resources Eve

Events & News Education

**Steel Tanks & Pipe Fabrication** 

About

### Representing the Steel Fabrication Industry

**Become A Member** 

**Explore Our Latest** 

**View Our Events** 

SP001 Standard for

**Become A Member** 



Library & Resources Events & News Education Steel Tanks & Pipe Fabrication About

#### Representing the Steel Fabrication Industry

Become A Member

#### $\square$

Explore Our Latest News Articles Ö

View Our Events Calendar Ш

SP001 Standard for Aboveground Tanks



https://stispfa.org/steel-tanks-pipe-fabrication/member-products/find-inspector/

## Tank Talk

Subscribe to receive the latest updates and information from STI/SPFA including:

- Industry news
- Essential safety information
- Education opportunities







#### STI/SPFA Issues Guidance Document on Ladder Cages

When a cage is utilized, employees that fall even short distances, may have the potential for injury and trauma from striking the cage or well components during the fall. Furthermore, a cage increases the risk of serious injury or death due to cage entanglement with the falling worker.

#### View Guidance

#### Think of the Next Person

When workers think about each other when preparing for a task or doing a task, everyone wins.



View Safety Talk

The Proactive Approach to Employee Turnover



## **Social Media**

Follow @STISPFA on social media for updates, member news, exclusive videos, and more!






**Joe Mentzer** 

Standards Engineer, STI/SPFA

- Maintains and develops standards
- Develops new and improved aboveground and underground tank technologies
- Serves on API Sub-committee on Aboveground Storage Tanks and NFPA 30 Committee









# Where Tank Owners Go Wrong Using SP031



